

Wet and dry vacuum cleaners

NT 65/2 Eco

Overview



The NT 65/2 Eco is a powerful, two-motor wet and dry vacuum cleaner for professional applications. Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

Order no. 1.325-141.0

Standard accessories

Power Filter Clean, Auto shutdown when max. level is reached, Drain hose (oil resistant), 2 x 0.5 m metal tubes, Two maintenance -free suction fans, NT all-purpose floor tool (360 mm), 4 m suction hose with module and bend, Flat pleated filter (dust class M),

Technical data

Air flow rate l/s	2 x 56
Vacuum mbar/KPa	235/23.5
Container capacity l	65
Max. power rating W	2750
Standard inside dia. mm	40 C-ID
Power cable m	10
Operating noise dB/A	74
Weight kg	19
Dimensions (L x W x H) mm	600 x 480 x 920

Description

The NT 65/2 Eco is a powerful wet and dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation .

This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated eco filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life.

The NT 65/2 Eco is equipped with an electronic level monitor which shuts off the suction when maximum capacity is reached during wet pick-up to prevent overflow. An oil-resistant drain hose allows easy discharge of fluids into a drain. The clip system ensures simple and quick accessory changes.

Wet and dry vacuum cleaners

NT 65/2 Eco



There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco highly mobile.

Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working, chemical and pharmaceutical industries, in areas where a fully tested unit (safety-type vacuum) is specified.

Features & Benefits

Housing made of impact resistant plastics

- Low weight for effortless operation. Withstands high loads and knocks.

On-board holders for power cord and accessories

- Avoid soiling and damage. User has everything within easy reach.

High grade rubber-insulated power cord

- Very durable, non-kinking and abrasion resistant. For tough applications and a long service life

Large flat tray for tools on motor head

- Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping

Oil resistant drain hose standard on all machines

- Longlife hose, resistant to aggressive media, for easy emptying of full container.

Filter basket (chip basket)

Perforated stainless steel sheet, for general coarse dirt.

Order no. 5.737-008.0



Suction hose complete, electrically conductive, 4

Without bend, without module

Order no. 6.906-500.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Special wet and dry filter bags

Approved for dust class L, general cleaning, damp, wet and dry, tear resistant
Order no. 6.904-252.0



Düsenset

Set of wet and dry vav tools

Crevice tool, upholstery tool, round brush
Order no. 2.860-116.0



Filter T/NT

Flat pleated filter (PES)

PES fleece; rot-proof, BIA- (U,S,G,C) approved, dust class M (not 65/2 Eco)
Order no. 6.904-284.0



Flat pleated filter

Papier BIA-(U,S,G,C)approved,dust class M (only NT 65/2 Eco)
Order no. 6.904-283.0



Diaphragm filter/fabric filter

Polyester needled felt, BIA-C approved, old No. 6.906-105
Order no. 6.904-282.0



Paper filter bags (two-ply)

BIA- (U,S,G,C) approved, dust class M, 3-ply tear resistant
Order no. 6.904-285.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Krümmer

Plastic Bend

Plastic with C-40 clip system + EL
Order no. 5.032-427.0

**Plastic Bend**

Plastic with C-40 clip system
Order no. 5.031-904.0

**Bend**

Plastic with C-35 clip system +EL
Order no. 5.031-939.0

**Plastic Bend**

Plastic with C-35 clip system
Order no. 5.031-718.0

**Bend**

Stainless steel, not Eco M
Order no. 6.902-080.0

**Bend**

Plastic, not Eco M
Order no. 6.902-021.0

**Bend**

Stainless steel, not Eco M
Order no. 6.902-079.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Bend

Stainless steel
Order no. 6.903-141.0



Saugdüsen

Gangway Tool

Metal/brush strip set 6.906-066/ rubber strip set 6.906-067 (not 65/2 Eco and NT 700)
Order no. 4.130-171.0



Scratcher and scraper nozzle

Metal, for stubborn dirt
Order no. 6.903-360.0



Dusting nozzle

Plastic, for dusting small parts
Order no. 4.130-064.0



Rubber suction tool, nose 45°

For vacuuming machines, oil resistant
Order no. 6.902-106.0



Rubber suction tool, nose 45°

For vacuuming machines, oil resistant
Order no. 6.902-105.0











Rubber suction tool, nose 45°

For vacuuming machines, oil resistant
Order no. 6.902-104.0











Wet and dry vacuum cleaners

NT 65/2 Eco

Car cleaning tool	Plastic Order no. 6.900-952.0	
Crevice tool / other suction nozzles	metal Order no. 6.900-922.0	
All-purpose tool (Wet/dry)	with hight-adjustable rollers, aluminium, rubber lips set 6.906-146 Order no. 6.906-383.0	
All-purpose tool (Wet/dry)	Plastic with rubber lips/brush strips and rollers (not NT 72/2) Order no. 6.906-554.0	
All-purpose tool (Wet/dry)	Plastic with rubber lips (set No.6.905-877) and rollers Order no. 6.906-513.0	
All-purpose tool (wet/dry)	Height-adjustable, aluminium with rollers, rubber lip 6.903.081 Order no. 6.906-384.0	
Suction brush	natural bristles (ox hair), bristle element 70 x 45 mm Order no. 6.903-862.0	
Rubber nozzle	Rubber Order no. 4.763-057.0	

Wet and dry vacuum cleaners

NT 65/2 Eco

<p>All-purpose tool Natural bristles (ox hair), bristle element 120 x 45 mm Order no. 6.903-863.0</p>	
<p>Pipe dusting tool Plastic, pipe diameter 200 mm Order no. 6.903-036.0</p>	
<p>Pipe dusting tool Plastic, pipe diameter 100 mm Order no. 6.903-035.0</p>	
<p>Radiator brush Plastic, for crevice tool 6.900-385 Order no. 6.903-034.0</p>	
<p>Crevice tool / other suction nozzles Metal (not Eco M) Order no. 6.900-926.0</p>	
<p>Crevice tool / other suction nozzles Plastic (not Eco M) Order no. 6.900-222.0</p>	
<p>Crevice tool / other suction nozzles Plastic (not Eco M) Order no. 6.903-033.0</p>	
<p>Crevice tool / other suction nozzles metal (not Eco M) Order no. 6.905-817.0</p>	

Wet and dry vacuum cleaners

NT 65/2 Eco

Crevice tool / other suction nozzles

plastic

Order no. 6.900-385.0



Flat surface tool

Aluminium, with brush

Order no. 6.900-927.0



Flat surface tool

Plastic, for coarse dirt

Order no. 6.900-226.0



All-purpose tool (wet/dry)

For wet and dry vacs, height-adjustable, rubber lips 6.906-168

Order no. 6.903-038.0



All-purpose tool (Wet/dry)

Height-adjustable, aluminium (only NT 72/2)

Order no. 6.903-018.0



Saugrohre

Suction tubes

Stainless steel

Order no. 6.906-531.0



Extension hose

Extends suction tube from 0.5 m to 0.7 m.

Order no. 6.904-276.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Suction tube

Stainless steel
Order no. 6.902-082.0



Suction tubes

Plastic
Order no. 6.900-224.0



Suction tube

Stainless steel
Order no. 6.902-081.0



Suction tubes

Stainless steel
Order no. 6.902-046.0



Saugschläuche

Suction hose, complete C-40

Suction hose with bayonet coupling (machine end) + clip connection
Order no. 6.906-279.0



Set of connectors C-40

Repair kit for all C-40 and ID 40 hoses
Order no. 2.639-873.0



Extension hose

Extends all C-ID 40 hoses
Order no. 6.906-344.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Suction hose (10 m, without connectors)

Oil resistant, set of connectors 2.862-038
Order no. 6.390-433.0



Suction hose (4 m)

Oil resistant, set of connectors 2.862-038
Order no. 6.390-432.0



Industrial hose - complete

Industrial hose; PVC/elastomer with steel spiral, smooth inside
Order no. 4.440-615.0



Suction hose, complete C-40

Suction hose with bayonet coupling (machine end) + clip connection
Order no. 6.906-321.0



Suction hose, complete (electrically conductive)

With bend, with module (4.060-533)
Order no. 4.440-728.0



Suction hose, plastic (10 m)

Oil resistant, set of connectors 2.862-037
Order no. 6.390-431.0



Suction hose, complete

Suction hose, clamp ring, bend, module (4.060-474)
Order no. 4.440-679.0



Suction hose, complete

Suction hose, clamp ring, bend
Order no. 4.440-678.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Suction hose, complete

Oil resistant
Order no. 4.440-614.0

**Suction hose, complete**

Oil resistant
Order no. 4.440-613.0

**Suction hose, complete**

Oil resistant
Order no. 4.440-612.0

**Suction hose, plastic (without connectors), EL (el**

Electrically conductive
Order no. 6.390-436.0

**Suction hose, plastic 4 m (without connectors), EL**

Electrically conductive
Order no. 6.390-435.0

**Suction hose complete, electrically conductive**

Electrically conductive
Order no. 4.440-617.0

**Suction hose complete, electrically conductive**

Electrically conductive
Order no. 4.440-616.0

**Suction hose complete, electrically conductive**

Without bend, without module
Order no. 6.906-275.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Suction hose, complete, EC

With bend, with module (4.060-478)

Order no. 4.440-654.0



Suction hose, complete EC

With bend, without module

Order no. 4.440-653.0



Suction hose, plastic

Set of connectors 2.862-037, (without connectors)

Order no. 6.389-833.0



Suction hose (without connectors)

Set of connectors 2.862-038

Order no. 6.389-843.0



Suction hose (without connectors)

Set of connectors 2.862-038

Order no. 6.388-724.0



Suction hose, complete

Plastic, normal

Order no. 4.440-467.0



Suction hose, complete

Plastic, normal

Order no. 4.440-264.0



Suction hose, complete









Industrial hose; PVC/elastomer with steel spiral, smooth inside

Order no. 4.440-328.0



Wet and dry vacuum cleaners

NT 65/2 Eco

<p>Suction hose, (whithout connectors), EL (electrica Electrically conductive, set of connectors 2.862-078 Order no. 6.389-842.0</p>	
<p>Suction hose, plastic, EC1) (electrically conduct Electrically conductive Order no. 4.440-466.0</p>	
<p>Suction hose, plastic, EC1) (electrically conduct electrically conductive (not Eco M) Order no. 4.440-391.0</p>	
<p>Suction hose, complete Oil resistant Order no. 4.440-303.0</p>	
<p>Suction hose, complete (Bus-Kit) Order no. 4.440-302.0</p>	
<p>Suction hose, complete Order no. 4.440-463.0</p>	
<p>Suction hose, complete 4 m supplied as standard (on version with accessories) Order no. 4.440-263.0</p>	
<p>Suction hose, plastic (without connectors), EL (el Electrically conductive, set of connectors 2.639-682 (clip) Order no. 6.389-841.0</p>	

Wet and dry vacuum cleaners

NT 65/2 Eco

Suction hose, plastic

Electrically conductive, set of connectors 2.862-077
Order no. 6.389-840.0



Set of connectors

Bayonet / adapter, ID 35
Order no. 2.862-036.0



Suction hose, plastic

(without connectors)
Order no. 6.389-839.0



Suction hose, complete

normal
Order no. 4.440-287.0



Suction hose, complete

normal
Order no. 4.440-299.0



Suction hose, plastic, complete

Temperature resistant up to 120°C
Order no. 4.440-339.0



Suction hose, plastic (without connectors)

not T 201 with ESB 24
Order no. 6.389-838.0



Suction hose, plastic, complete

electrically conductive
Order no. 4.440-462.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Suction hose, plastic, complete

Order no. 4.440-461.0



Suction hose, plastic, complete

Order no. 4.440-446.0



Sonstige Verbindungsmuffen

Connecting sleeve C-ID (clip on taper), EL (electr

Connects C 40 hose for ID 40 EL accessories

Order no. 5.407-111.0



Connecting sleeve C-ID (clip on taper), EL (electr

Connects C 35 hose for ID 35 EL accessories

Order no. 5.407-112.0



Reducer

Reducing sleeve, from C-40 to C-35

Order no. 5.407-113.0



Connecting sleeve C-ID (clip on taper), EL (electr

Connects C 40 hose for ID 35 EL accessories.

Order no. 5.407-109.0



Reducer

From C-40 hose to sleeve ID 35

Order no. 5.407-108.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Reducer (tubr -> tool)

From ID 50 to ID 40, Plastic
Order no. 6.902-015.0



Reducer (tubr -> tool)

From ID 40 to 35, plastic
Order no. 6.902-017.0



Reducer (tubr -> tool)

From ID 50 to 35, plastic
Order no. 6.902-016.0



Reducer (tubr -> tool)

From ID 35 to 32, metal
Order no. 6.902-072.0



Adapter for electric power tools

ID 28 mm/ID 34 mm/38.8 mm, EL
Order no. 5.453-052.0



Adapter for electric power tools clip on, EL (elec

ID 32 mm/ID 39 mm, EL
Order no. 5.453-051.0



Adapter for electric power tools clip on, EL (elec

ID 27 mm/ID 36.5 mm/38.8 mm, EL
Order no. 5.453-050.0











Adapter for electric power tools clip on, EL (elec

ID 28.6 mm/OD 37.3 mm/38.8 mm, EL
Order no. 5.453-049.0



Wet and dry vacuum cleaners

NT 65/2 Eco

<p>Adapter for electric power tools ,clip on, EL (ele ID 25.4 mm/OD 34.6 mm/38 mm, EL Order no. 5.453-048.0</p>	
<p>Adapter for electric power tools, clip on, EL (ele Plastic, suitable for ID 26-36 (Te/EcoM/H . Standard accessory) EL Order no. 5.453-042.0</p>	
<p>Adapter for electric power tools, screw fitting ID 32 mm/ID 39 mm Order no. 6.902-059.0</p>	
<p>Adapter for electric power tools ,screw fitting ID 28 mm/ OD 34/38.8 mm EL Order no. 6.902-095.0</p>	
<p>Adapter for electric power tools, screw fitting Plastic, suitable for ID 26-36 ((old No.2.637-247)Te, Standard accessory) Order no. 2.639-129.0</p>	
<p>Set of reducers/adapter sleeves ID 40/35, ID 35/32 (tube ->tool), plastic Order no. 2.860-117.0</p>	
<p>Adapter From ID 40 to ID 50, plastic Order no. 5.453-019.0</p>	
<p>Connecting sleeve Connects 2 suction hoses, without connectors DN 32/35 (not EBS 24 version) Order no. 6.902-077.0</p>	

Wet and dry vacuum cleaners

NT 65/2 Eco

Connecting sleeve, EL (electrically conductive)

Connects 2 suction hoses, EL 1), without connectors

Order no. 4.453-006.0



Connecting sleeve

Connects 2 suction hoses, without connectors

Order no. 6.902-078.0



Connecting sleeve

Connects 2 suction hoses, without connectors (not Eco M)

Order no. 6.900-286.0



Adapter for electric power tools, screw fitting

ID 28.6 mm/ OD 37.3/38.8 mm, EL

Order no. 5.453-026.0



Y-junction kit

Distributor, plastic

Order no. 2.637-217.0



Sonstiges Zubehör T/NT

Conversion kit, non-conductive media

For shutdown with non-conductive liquids

Order no. 2.640-426.0



Extension cable

Order no. 6.647-022.0



Wet and dry vacuum cleaners

NT 65/2 Eco

Foam killer

Plastic, from ID 50 to 50
Order no. 6.762-116.0



Barrel separator

Metal, from ID 50 to 50, for liquids only
Order no. 3.864-012.0



Lid (separator)

For 6.902-051/4.070-111 and NT 802 I tank
Order no. 4.063-132.0



Adapter ring for 200-litre drum

EURO steel drum with lid
Order no. 6.902-051.0



Separator

Complete drum and lid; for coarse dirt and liquids, without suction hose
Order no. 3.864-010.0

