

Spray extraction cleaners

puzzi 200

Overview



Spray extraction cleaner for commercial/private application. Output appr. 15-20 sq.m/h. The large tank for cleaning fluid, water flow rate and pressure are designed in this unit for the basic cleaning of medium-sized surface.

Order no. 1.193-101.0

Standard accessories

Power socket for connecting PW 10,
Compartment for detergent tablets, Defoamer
metering ,

Technical data

Performance m ² /h	15-20
Air flow rate l/s	54
Vacuum mbar	220
Spray rate l/min	2.0
Spray pressure/Ram pressure bar	2.0/2.5
Fresh water/Dirty water tank l	10/9
Fan W	1250
Pump W	2 x 40
Brush motor W	-
Weight kg	12.1
Dimensions (L x W x H) mm	665 x 320 x 435

Description

Professional spray extraction cleaner for medium-sized areas.

Fresh water tank with filter element allows long periods of operation and protects the pump from contamination. Robust, compact housing made of durable plastics makes unit lightweight and easy to carry. Two large wheels and two castors for excellent manoeuvrability. Pushbuttons for spraying and vacuuming modes conveniently positioned on top of the unit. Easily removed transparent suction dome enables recovery performance to be checked at a glance, defoamer tank in cover ensures maximum use is made of dirt water tank's capacity.

Service-friendly, rubber-mounted pump and fan module. 9-litre dirty water tank simply lifts out.

Spray extraction cleaners

puzzi 200

Application

For medium-sized areas in commercial applications.

Features & Benefits

Compact housing made of robust polypropylene plastic with grip

- Shock proof, unbreakable, rust proof, lightweight, easy to carry

Accessory holder on the grip (floor nozzle resp. hand nozzle)

- Comfortable transportation, tidied up storage

Storage compartment for RM 760 Tabs

- Detergents always ready to hand

9-litre dirt water tank

- Removable, easy to carry and to empty

Transparent suction dome

- Control of the revertive suction power

Two push buttons: -spraying -vacuuming

- Easy handling, removable rubber-mounted pump /fan module
- Service friendly, easy exchange, very quiet

Two wheels and two castors

- Easy to pull even over thresholds, very manoeuvrable

Exchangeable fan protection filter

- Fan is protected from dirt damages

Safe dry running oscillating piston pump

- High-performance, maintenance-free, trouble-free

Tested continuous running, two-stage bypass suction fan

- high-performance revertive suction power, little residual moisture

24V-power outlet for the power brush PW 30

- Safe low voltage, safe locking device for the plug

TÜV/GS-approval, national and international check release

- High safety and quality standard

Spray extraction cleaners

Waschsauger CCE

Spray/extraction hoses (4 m)

Complete, solid plastic coupling, old No. 4.440-351
Order no. 6.390-270.0



Window cleaning kit

Connects to spray-extraction hose on puzzi..., 2 m hose
Order no. 2.638-778.0



Hand tool

For cleaning vertical louvre blinds, with plastic coupling
Order no. 4.130-083.0



Stone carpet tool

Order no. 4.130-117.0



PW 10 roller brush

Order no. 6.903-935.0



Stair tool

Two-part, solid plastic coupling, aluminium tube
Order no. 4.130-128.0



Rubber lip

For hard-surface adapter, floor tool 4.762-220
Order no. 6.959-116.0



Rubber lip

For hard-surface adapter, hand tool 4.762-219
Order no. 6.959-283.0



Spray extraction cleaners

puzzi 200

Spray/extraction hose

Complete, solid plastic coupling
Order no. 6.390-216.0



Floor tools

Two-part, solid plastic coupling, aluminium tube
Order no. 4.130-127.0



Hand tool

puzzi 100/200/300
Order no. 4.130-116.0



Trolley

Order no. 6.962-259.0



Wall & ceiling cleaning attachment

Metal coupling 6.389-293 required for puzzi 100-300/S
Order no. 2.637-445.0



Hard surface adapters - Floor tool

For floor tool 4.130-127
Order no. 4.762-220.0



Hard surface adapters - Hand tool

For hand tool 4.130-116
Order no. 4.762-219.0

